9000185

Pioneer Gi-Bred International, Inc.

Tothereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF CIGhteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT tery therefrom, to the extent provided by the Plant Variety Protection Act AT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

192731

In Lestimony Winercot, I have hereunto set my hand and caused the seal of the Plant Tariety Protection Office to be affixed at the City of Washington, D.C.

31st day of January the year of our Lord one thousand nine

hundred and ninety-two.

floard Madigin

Plant Variety Protection Office

U.S. DEPARTMEN	FORM APPROVED: OMB NO. 0581-0055				
AGRICULTURAL M	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information in held confidential until certificate is issued (7 U.S.C. 2426).				
APPLICATION FOR PLANT VAR					
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	<u></u>		
Pioneer Hi-Bred International,			9273		
4. ADDRESS (Street and No. or R.F.D. No., City, Ste 700 Capital Square	ate, and Zip Code)	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY PVPO NUMBER		
400 Locust Street Des Moines, IA 50309		515-270-3300		9000185	
6. GENUS AND SPECIES NAME	7. FAMILY NA	ME (Botanical)	FILING	DATE MAN DA MAN	
Glycine Max	Glycine Max Legumin			TIME \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
8. KIND NAME	9.	DATE OF DETERMINATION	1	AMOUNT FOR FILING	
Soybean	Oct. 1982 Jan. 1988 (increase)	RECEIVED	DATE MAIN 29,1990		
10. IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.)			EES REC	AMOUNT FOR CERTIFICATE	
Corporation		FE	DATE January 6,1992		
11. IF INCORPORATED, GIVE STATE OF INCORPORT IOWA	12. DATE OF INCORPORATION 1926 CATION AND RECEIVE ALL PAPERS				
James E. Miller 7301 NW 62nd Ave., P.O. Box 85 Johnston, IA 50131-0085 14. CHECK APPROPRIATE BOX FOR EACH ATTAG a. Exhibit A, Origin and Breeding History of b. Exhibit B, Novelty Statement. c. Exhibit C, Objective Description of Variet d. Exhibit D, Additional Description of Variet	f the Variety (See ty (Request form iety.	Section 52 of the Plant Variety Pro ! from Plant Variety Protection Office	dea code,	50131 ':	
e. \(\bigcirc \) Exhibit E, Statement of the Basis of Appl 15. DOES THE APPLICANT(S) SPECIFY THAT SEE SEED? (See Section 83(a) of the Plant Variety Pro	D OF THIS VARI				
16. DOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS?	S VARIETY BE	17. IF "YES" TO ITEM 16, V BEYOND BREEDER SEE	инісн		
Yes X No	· · · · · · · · · · · · · · · · · · ·	Foundation		gistered Certified	
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECT	ON OF THE VARIETY IN THE U.	.s.?	Yes (If "Yes," give date)	
19. HAS THE VARIETY BEEN RELEASED, OFFER	RED FOR SALE,	OR MARKETED IN THE U.S. OR	OTHE		
				Yes (If "Yes," give names of countries and dates)	
20. The applicant(s) declare(s) that a viable samp	ole of basic seeds	s of this variety will be furnished	with t	he application and will be re-	
plenished upon request in accordance with su The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in Se Variety Protection Act.	er(s) of this sex	ually reproduced novel plant var	iety, a provi	nd believe(s) that the variety is sions of Section 42 of the Plant	
Applicant(s) is (are) informed that false repre	esentation hereit	n can jeopardize protection and 1	esult i	n penalties.	
SIGNATURE OF APPLICANT			DA	5/11/90	
SIGNATURE OF APPLICANT	174 - 174 - 174		DA	ATE.	

Attachment: 9273 Soybean (March, 1990)

Exhibit A: Variety 9273 evolved from a cross of variety 2981 x variety A3127. It is an F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of 9273 was grown in Iowa during the summer of 1982. Subsequently, 9273 has undergone seven years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants.

Six acres of 9273 (breeders seed) were grown in 1988. 145 acres of parent seedstock (foundation seed equivalent) were grown in 1989.

Exhibit B: Variety 9273 is most similar to variety A2234. Both varieties have purple flowers, tawny pubescence and yellow seeds with black hila. However, A2234 exhibits a low seed coat protein peroxidase activity, whereas 9273 has a high seed coat protein peroxidase activity. Also, A2234 is resistant to races 1-11 of phytophthora rot [caused by Phytophthora megasperma (Drechs.) var. sojae A.A. Hildebrand] whereas 9273 is susceptible to those races.

Exhibit E: Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9273, for which it solicits a certificate of protection.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

(Soybean)

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max 1.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.	i	9273
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod 700 Capital Square 400 Locust Street Des Moines, IA 50309	i e)	FOR OFFICIAL USE ONLY PVPO NUMBER 9000185
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided, Starred characters ★ are considered fundamental to an adequate when information is available. 1. SEED SHAPE: L W 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	place a zero in the first box whate soybean variety description	hen number is 9 or less (e.g., 0 9). n. Other characters should be described
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		L/W ratio > 1.2; L/T ratio = < 1.2) _/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	······································	
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (S	Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy	/'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 6 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Black	k 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with to a = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'C	oronze band below cotyledons ('W	oodworth'; 'Tracy')
0. LEAFLET SHAPE:		
3 1 = Lanceolate , 2 = Oval 3 = Ovate	4 = Other (Specify)	

_				7000103
1	1. LEA	FLET SIZE:		
	2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium (' 3 = Large ('Crawford'; 'Tracy')	Corsoy 79'; 'Gasoy 17')	
	<u> </u>	, o Large Colombia, Hacy ,		
1	2. LEA	COLOR:		· · · · · · · · · · · · · · · · · · ·
	3	1 = Light Green ('Weber'; 'York') 2 = Medium G	reen ('Corsoy 79'; 'Braxton').	
	.[5	3 = Dark Green ('Gnome'; 'Tracy')		
* 1	3. FLO	VER COLOR:		
	2	1 = White 2 = Purple 3 = White with pu	rple throat	•
<u></u> ★ 1	4. POD	COLOR:	· · · · · · · · · · · · · · · · · · ·	
	2	1 = Tan 2 = Brown 3 = Black		
★ 15	. PLAN	T PUBESCENCE COLOR:		
•	2	1 = Gray 2 = Brown (Tawny)		
16	. PLAN	T TYPES:		
	2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermedia 3 = Bushy ('Gnome'; 'Govan')	te ('Amcor'; 'Braxton')	
★ 17	. PLAN	T HABIT:		
	3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Deter 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	minate ('Will')	
18.	MATU	RITY GROUP:		
	5		= II 6 = III 7 = I	V 8 = V
19.	DISEA	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistar	nt)	
	BAC	ERIAL DISEASES:		·
★	0	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)		
*	0	Bacterial Blight (Pseudomonas glycinea)		
*	0	Wildfire (Pseudomonas tabaci)		
	FUNG	AL DISEASES:		
\star	0	Brown Spot (Septoria glycines)		
	·	Frogeye Leaf Spot (Cercospora sojina)		en e
*	0	Race 1 0 Race 2 0 Race 3 0 Race	4 0 Race 5	Other (Specify)
	0	Target Spot (Corynespora cassiicola)	ليا ت	
		Downy Mildew (Peronospora trifoliorum var. manshurica)		
		Powdery Mildew (Microsphaera diffusa)		
*	0	Brown Stem Rot (Cephalosporium gregatum)		
		Stem Canker (Diaporthe phaseolorum var. caulivora)		
	, ,			

19	DISEA	SE REACTIO	ON: (Enter 0 = Not 1	ested; 1 = Susceptible; 2	Resistant) (Continued)	***************************************					
+ ⁷ 4,	FUN	GAL DISEA	SES: (Continued)								
*	0	Pod and St	em Blight <i>(Diaporthe</i>	phaseolorum var; sojae)		•					
		Purple Seed	l Stain <i>(Cercospora k</i> .	ikuchii)							
	0	Rhizoctonia	a Root Rot <i>(Rhizoct</i> e	Onia solani)							
•		Phytophtho	ora Rot <i>(Phytophthol</i>	a megasperma var. sojae)							
*	1	Race 1	0 Race 2	0 Race 3 1	Race 4 0 Race	0 Race 6	Race 7				
	0	Race 8	0 Race 9	Other (Specify)							
	VIRA	L DISEASES	S :	The state of the s							
	0	Bud Blight ((Tobacco Ringspot V	irus)							
	0	Yellow Mos	aic (Bean Yellow Mos	aic Virus)							
*	0	Cowpea Mos	saic (Cowpea Chlorot	ic Virus)							
	0	Pod Mottle	(Bean Pod Mottle Vir	us)							
*	0	Seed Mottle	(Soybean Mosaic Vir	us)							
	NEMA	TODE DISE	ASES:								
٠		Soybean Cys	it Nematode (Heterod	lera givcinesi							
*		Race 1	0 Race 2	1 Race 3 1	Race 4 Other	(Specify)					
		Lance Nema	tode (Hoplolaimus Co	olombus)							
★	\equiv										
*	Southern Root Knot Nematode (Meloidogyne incognita) Northern Root Knot Nematode (Meloidogyne Hapla)										
			Knot Nematode (Me.								
	; ; ;		matode (Rotylenchu								
	L ,	DINER DISE	EASE NOT ON FOR	M (Specify):							
20. P	HYSIOL	OGICAL RE	SPONSES: (Enter 0	= Not Tested; 1 = Suscep	tible; 2 = Resistant)						
*			s on Calcareous Soil	· · · · · · · · · · · · · · · · · · ·							
		Other <i>(Specif</i> e	w)				•				
21. 11				d; 1 = Susceptible; 2 = Re							
			Beetle (Epilachna va		saiaidii (j						
			opper (Empoasca fat				2				
j											
. 1							····				
			RIETY MOST CLOS	ELY RESEMBLES THA	T SUBMITTED.						
	CHARAC			OF VARIETY	CHARACTER	NAME OF VARIE	ETY.				
	int Shape		A2234		Seed Coat Luster	A2234	<u>i</u>				
	af Shape		2981		Seed Size	A2234					
	af Color af Size		2981		Seed Shape	A2234	<u> </u>				
<u></u>			2981		Seedling Pigmentation	A2234					
			i i		-						

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS		CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY		HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9273 Submitted	123	1.2	65						
A2234 Name of Similar Variety	117	1.2	69						

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.